

## PRINCE MEDICAL

3 production sites in France and Tunisia 10,000 m<sup>2</sup> of floor space including 3,000 m<sup>2</sup> in clean rooms 15 million products manufactured per year **PRINCE MEDICAL**, certified **NF EN ISO 13485**, designs and manufactures single-use medical devices for Gastroenterology, Gynaecology and Medically Assisted Reproduction.

With nearly 30 years of expertise in the healthcare market, the company can rely on technical know-how in the extrusion of thermoplastics and polymers, and has state-of-the-art equipment to meet the needs of markets with demanding applications.

Perfect control of all industrial processes (moulding, extrusion, production of latex and silicone balloons, assembly of plastic material and steel components, laser cutting, ultrasonic and laser welding, marking,

packaging, sterilisation, etc.) is a guarantee of the high level of quality of **PRINCE MEDICAL** products.

PRINCE MEDICAL is a subsidiary of the international OMERIN Group and benefits from the dynamism of its 1,700 employees.



The regulatory expertise
of PRINCE MEDICAL makes it possible to
respond perfectly to current standards
and to anticipate their evolution. PRINCE
MEDICAL has a long experience in
product registration in a number of international markets





### OUR PRODUCTS

DIGESTIVE AND BRONCHIAL ENDOSCOPY

ENDOLINE®
ECHO HOOD®
OXYCAP®

CLEANING SWABS AND BRUSHES

**CLEANBRUSH®** 



GYNAECOLOGY

PM-CARE®

MEDICALLY
ASSISTED
REPRODUCTION
(MAR)

PM-LIFE®



### DIGESTIVE & BRONCHIAL ENDOSCOPY

ERCP Endoscopic retrograde cholangiopancreatography	C,
Balloon catheter         • ENDOLINE® 2V-TRACT 2-lumens balloon catheter       Page 12         • ENDOLINE® 3V-TRACT 3-lumens balloon catheter       Page 14         • ENDOLINE® Y-TRACT Y-clamp fitting       Page 16	• E
Nasobiliary kit       • ENDOLINE® NASO-KIT nasobiliary kit	• E
HAEMOSTASIS	F(
Injection needle       • ENDOLINE® 1V-JECT 1-way injection needle	A
Polypectomy         • ENDOLINE® LOOP polypectomy snare	• E

CYTOLOGICAL SAMPLING	
• ENDOLINE® CYTO-BRUSH cytology brush	Page <b>36</b>
GASTRIC BALLOON EXTRACTION	
• ENDOLINE® PUNC drainage needle	
ENDOLINE® VIPER extraction forceps	Page <b>41</b>
ECHO-ENDOSCOPY	
• ECHO HOOD® APERTURE-1 balloon with 1 opening	
• ECHO HOOD® APERTURE-2 balloon with 2 openings	Page <b>45</b>
FOREIGN BODIES	
• ENDOLINE® HOOD hood	Page <b>48</b>
ACCESSORIES	
• ENDOLINE® VALVE valve for operator channel	_
OXYCAP® EVO mouthpiece	Page <b>52</b>

### DETAILED SUMMARY 7

### **CLEANING SWABS AND BRUSHES**

CLEANIBBLICH CANDO II . I I I I	5		
• CLEANBRUSH® ENDO cleaning brush for endoscope operator channel			
<ul> <li>CLEANBRUSH® ENDO-XL cleaning brush for rigid instruments</li> <li>CLEANBRUSH® PISTON cleaning brush for endoscope valves</li> </ul>	_		
CLEANBRUSH® EXO-B brush for external cleaning of endoscopes			
CLEANBRUSH® EXO-S sponge for external cleaning of endoscopes			
CLEANBRUSH® KIT-2 cleaning swab kit - 2 parts			
CLEANBRUSH® KIT-2 cleaning swab kit - 2 parts      CLEANBRUSH® KIT-3 cleaning swab kit - 3 parts			
CLEANBRUSH® KIT-4 cleaning swab kit - 4 parts			
<ul> <li>CLEANBRUSH® KIT-5 cleaning swab kit - 5 parts</li> <li>CLEANBRUSH® TRACH brush for tracheal cannula</li> </ul>			
· CLEANDROSH TRACH DIUSTIO HACHER CAITIULA	Page <b>00</b>		
			T
			THE STATE OF THE S
SOFTIME STATE OF THE PARTY OF T	4		
\$150°00			
			No. of the second secon
या ।			
	7	SV 451 (a)	



# DIGESTIVE & BRONCHIAL ENDOSCOPY

ERCP	11
HAEMOSTASIS	25
CYTOLOGICAL SAMPLING	35
GASTRIC BALLOON EXTRACTION	39
ECHO-ENDOSCOPY	43
FOREIGN BODIES	47
ACCESSORIES	49



## DIGESTIVE & BRONCHIAL ENDOSCOPY

### **ERCP**

• ENDOLINE® 2V-TRACT 2-LUMENS BALLOON CATHETER	12
• ENDOLINE® 3V-TRACT 3-LUMENS BALLOON CATHETER	14
• ENDOLINE® Y-TRACT Y-CLAMP FITTING	16
• ENDOLINE® NASO-KIT NASOBILIARY KIT	18
• ENDOLINE® NASO-DRAIN NASOBILIARY CATHETER	20
• ENDOLINE® NASO-CONNECT LUER-LOCK CONNECTOR	21
• ENDOLINE® NASO-EXTEND FULL EXTENSION	22
• ENDOLINE® NASO-TUBE NASAL TUBE	23

### **ENDOLINE® 2V-TRACT**

### 2-LUMENS BALLOON CATHETER



12







PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76
prince-medical@omerin.com

PRINCE MEDICAL

TRANSPARENT TUBE AS4460720 The ENDOLINE® 2V-TRACT 2-lumens balloon catheter enables the removal of gallstones and injection of contrast material or any other medicated substance into the bile ducts. This medical device is intended mainly for persons with hepatic colic following the appearance of gallstones.

#### **ADVANTAGES**

- Product compatible for use with the main endoscopes on the market.
- Radiopaque
- Standard connector for connecting a syringe for contrast medium injection.
- Presence of a stainless steel ring and stainless steel ligatures on the balloon reinforcing the radiopacity of the distal part for better balloon localisation.

#### ADDITIONAL ACCESSORIES

The balloon catheter can be used with the **ENDOLINE® Y-TRACT** Y-clamp fitting. Provides practitioners with 2 injection ports on balloon catheters with a single injection port. It also enables the fixation of the guide wire after catheter placement.

#### **AVAILABLE BALLOONS**



LATEX BALLOON
CATHETER
PRECAUTIONS FOR USE
DO NOT USE IN PATIENTS
ALLERGIC TO LATEX



SILICONE BALLOON CATHETER for patients allergic to latex.

### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	1996
Single use	Yes
Class	lla
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Latex present	Yes except reference AS0920720
Lifetime	2 years except reference AS0920720 5 years
Certification	CE
Packaging	Box of 5 units in individual sterile wrapping
Storage	In its original box in a cool and dry place
Sterilisation method Latex present Lifetime Certification Packaging	Ethylene oxide sterilisation Yes except reference AS0920720 2 years except reference AS0920720 5 years CE Box of 5 units in individual sterile wrapping

<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### **ENDOLINE® 2V-TRACT**

13

	Reference	Catheter diameter (mm/Fr)	Inflated balloon diameter (mm)	Balloon inflation max gas (mL)	Balloon injection max liquid (mL)	Wire-guide recommended (inch)	Syringe (cc)	Useful lengtl (cm)	h Option
LATEX BALLOON					· · ·		` ^	, ,	
	> Bonded derivations								
	AS0030520	1.70 / 5	12	3.0	1.5	.025	3	200	-
	AS1100720	2.35 / 7 1.70 / 5	16	4.5	2.5	.035	5	200	-
	AS1910720	2.35 / 7	12	3.0	1.5	.035	3	200	- /
	AS0030720	2.35 / 7	16	4.5	2.5	.035	5	200	-
	AS4460720	2.35 / 7	16	4.5	2.5	.035	5	200	Transparent
	AS0280720	2.35 / 7	18	5.5	3.5	.035	5	200	- /
	> Welded derivation: AS2340720	s 2.35 / 7	16	4.5	2.5	.035	5	200 (	Quick exchange system
	AS2040720	2.35 / 7 1.70 / 5	16	4.5	2.5	.035	5	200	Tube cover
	AS2130720	2.35 / 7	16	4.5	2.5	.035	5	200	Tube cover
SILICONE BALLOON	> Bonded derivations	:							
	AS0920720	2.35 / 7	16	4.5	2.5	.035	5	200	_
	7.50520720	2.33 / 1	.0		2.3	.033		200	

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 **(0)3 44 26 54 76** 

prince-medical@omerin.com



Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

14

### **ENDOLINE® 3V-TRACT**

### 3-LUMENS BALLOON CATHETER



The ENDOLINE® 3V-TRACT 3-lumens balloon catheter enables the removal of gallstones and injection of contrast material or any other medicated substance into the bile ducts. This medical device is intended mainly for persons with hepatic colic following the appearance of gallstones.

### **ADVANTAGES**

- Product compatible for use with the main endoscopes on the market.
- Radiopaque
- Standard connector for connecting a syringe for contrast medium injection.
- Stainless steel ring and stainless steel ligatures on the balloon enhance radiopacity of the distal part for better balloon identification.
- The guide path and the contrast path are different.

#### **AVAILABLE BALLOONS**



LATEX BALLOON
CATHETER
PRECAUTIONS FOR USE
DO NOT USE IN PATIENTS
ALLERGIC TO LATEX



SILICONE BALLOON CATHETER for patients allergic to latex.



#### ABOUT THIS MEDICAL DEVICE

1 <sup>st</sup> release date	1996
Single use	Yes
Class	lla
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Latex present	Yes except reference AS3860720
Lifetime	2 years except reference AS3860720 5 years
Certification	CE
Packaging	Box of 5 units in individual sterile wrapping
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76
prince-medical@omerin.com



### **ENDOLINE® 3V-TRACT**

15

	Reference	Catheter diameter (mm/Fr)	Inflated balloon diameter (mm)	Balloon inflation max gas (mL)	Balloon injection max liquid (mL)	Wire-guide recommended (inch)	Syringe (cc)	Useful length (cm)	Option
LATEX BALLOON									
	AS1420720	2.35 / 7	16	4.5	2.5	.035	5	200	-
	AS4320720	2.35 / 7	16	4.5	2.5	.035	5	200	Transparent
	AS4320725	2.35 / 7	16	4.5	2.5	.035	5	200	Transparent
	AS4560720	2.35 / 7 1.70 / 5	16	4.5	2.5	.035	5	200	Transparent
SILICONE BALLOON									
	AS3860720	2.35 / 7	16	4.5	2.5	.035	5	200	_

PRINCE MEDICAL SAS

ZA La Sente Du Moulin

64 rue Gutenberg - 60530 Ercuis - France

www.prince-medical.com

Tel: +33 **(0)3 44 26 54 76** 

prince-medical@omerin.com



Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### **ENDOLINE® Y-TRACT**

16







OF




The ENDOLINE® Y-TRACT Y-clamp fitting provides practitioners with 2 injection ports on a balloon catheter with 1 injection port, and also enables the fixation of the guide wire after catheter placement.

### AVAILABLE REFERENCE(S)

Reference Description

AS1130300 CH3 Y-clamp fitting

#### **ABOUT THIS MEDICAL DEVICE**



PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.



### **ENDOLINE® NASO-KIT**

NASOBILIARY KIT


18











The ENDOLINE® NASO-KIT nasobiliary kit enables the aspiration of bile or pancreatic juices. This medical device is intended primarily for persons with obstructive jaundice, acute cholangitis or extrahepatic cholestasis.

### NASOBILIARY KIT COMPONENTS (components can be sold separately)

- A nasobiliary catheter for aspirating bile juice.
- A Luer-Lock connector mounted on the nasobiliary catheter enabling biliary or pancreatic juice aspiration. It connects the nasobiliary catheter to the full extension.
- A full extension to drain bile or pancreatic secretions in an external receiving bag or to rinse the catheter as needed.
- · A nasal tube to retrieve the nasobiliary catheter in the larynx and to remove it through the nose.

#### **ADVANTAGES**

- · Axial and lateral perforations in the distal part allow for efficient drainage of the hepatobiliary tract.
- Easy to position catheter in the bile ducts thanks to the radiopaque distal end (with gold ring).

### AVAILABLE FORMATS (NASOBILIARY CATHETER)







**CURVE 1** 

CURVE 2

**CURVE 6** 

#### ABOUT THIS MEDICAL DEVICE

1 <sup>st</sup> release date	1996
Single use	Yes
Class	lla
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 1 unit in individual sterile wrapping
Storage	In its original box in a cool and dry place
·	

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76
prince-medical@omerin.com



### **ENDOLINE® NASO-KIT**

19

		NASOBILIAR	Y CATHETER	CONNECTOR LUER-LOCK	NASAL TUE	BE	EXTENSION
	Reference	Catheter diameter  (Fr)	Catheter length (cm)	Connector Luer-Lock	Nasal tube Int. diam. / Ext. diam. (mm / mm)	Length of the nasal tube (cm)	Length of the extension (cm)
CURVE 1	AS0540500	5	250	grey	2.0 / 3.0	50	135
_	AS0540700	7	250	orange	2.6 / 3.7	50	135
	AS0541000	10	250	white	3.7 / 4.9	50	135
CURVE 2							
	AS0560500	5	250	grey	2,0 / 3,0	50	135
	AS0560700	7	250	orange	2,6 / 3,7	50	135
CURVE 6							
_	AS0580500	5	250	grey	2,0 / 3,0	50	135
<u> </u>	AS0580700	7	250	orange	2.6 / 3.7	50	135

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 **(0)3 44 26 54 76** 

prince-medical@omerin.com



The information provided on this data sheet is indicative and subject to change without notice. PRINCE MEDICAL SAS shall not be held responsible for any incidents resulting from inappropriate use, failure to comply with the rules and regulations in force, or failure to follow the instructions for use provided. Medical devices sold by PRINCE MEDICAL SAS should only be used by a duly qualified practitioner or authorised person.

Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### **ENDOLINE® NASO-DRAIN**


20











The ENDOLINE® NASO-DRAIN nasobiliary catheter is used to aspirate bile or pancreatic juices. This medical device is intended primarily for persons with obstructive jaundice, acute cholangitis or extrahepatic cholestasis.

#### **ADVANTAGES**

- Axial and lateral perforations in the distal part enable efficient drainage of the hepatobiliary tract.
- · Easy positioning of the catheter in the bile ducts thanks to the radiopaque distal extremity (with gold ring).

#### **AVAILABLE FORMS**







**CURVE 1** 

**CURVE 2** 

**CURVE 6** 

### AVAILABLE REFERENCE(S)

	Reference	Catheter diameter (Fr)	Useful length (cm)
CURVE 1	AS0530525	5	250
	AS0530725	7	250
	AS0531025	10	250
CURVE 2	AS0550525	5	250
	AS0550725	7	250
CURVE 6	AS0570525	5	250
	AS0570725	7	250

#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	1996
Single use	Yes
Class	lla
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 5 units in individual sterile wrapping
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### **ENDOLINE® NASO-CONNECT**

LUFR-LOCK CONNECTOR

21









The ENDOLINE® NASO-CONNECT Luer-Lock connector enables the aspiration of bile or pancreatic juices. It also allows to remove the endoscope while leaving the catheter in place. This component is part of the ENDOLINE® NASO-KIT nasobiliary kit (for more information on the kit, please consult the data sheet page 18).

### AVAILABLE REFERENCE(S)

Reference	Diameter (Fr)	Colour	
AS0050500	5	grey	
AS0050600	6	blue	
AS0050700	7	orange	
AS0051000	10	white	



### **ABOUT THIS MEDICAL DEVICE**

1st release date	1997
Single use	Yes
Class	ls
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 50 units in individual sterile wrapping
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS ZA La Sente Du Moulin rue Gutenberg - 60530 Frcuis - France

64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com

Tel: +33 **(0)3 44 26 54 76** 

prince-medical@omerin.com



<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### **ENDOLINE® NASO-EXTEND**

### FULL EXTENSION



22








The ENDOLINE® NASO-EXTEND full extension drains bile or pancreatic secretions into an external receiving bag, and can also be used to rinse the nasobiliary catheter. This single use medical device is part of the ENDOLINE® NASO-KIT nasobiliary kit (for more information on the kit, please consult the data sheet page 18).

### It has a 3-ways stopcock:

- 1 way to the patient, which is connected to the proximal end of the nasobiliary catheter via the Luer-Lock connector.
- 1 way for rinsing of the nasobiliary catheter, when required.
- 1 way to collect bile in an external receiving bag.



### AVAILABLE REFERENCE(S)

Reference Length (cm)
AS0210013 135

#### **ABOUT THIS MEDICAL DEVICE**

1st release date	1997
Single use	Yes
Class	ls
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 5 units in individual sterile wrapping
Storage	In its original box in a cool and dry place
· · · · · · · · · · · · · · · · · · ·	

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76
prince-medical@omerin.com



PRegistered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### **ENDOLINE® NASO-TUBE**

JASAL TUBE

23









The ENDOLINE® NASO-TUBE nasal tube is used to retrieve a nasobiliary catheter from the larynx and remove it through the nose. This component is part of the ENDOLINE® NASO-KIT nasobiliary kit (for more information on the kit, please consult the data sheet page 18).

### AVAILABLE REFERENCE(S)

Reference	Nasal tube Int. diam. / Ext. diam. (mm / mm)	Length of the nasal tube (cm)	Compatible with nasobiliary catheter diameter (Fr)
AS0220550	2.0 / 3.0	50	5
AS0220750	2.6 / 3.7	50	7
AS0221050	3.7 / 4.9	50	10

#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	1996
Single use	Yes
Class	ls
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 10 units in individual sterile wrapping
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76

prince-medical@omerin.com

PRINCE MEDICAL

<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.



## DIGESTIVE & BRONCHIAL ENDOSCOPY

### **HAEMOSTASIS**

• ENDOLINE® 1V-JECT 1-WAY INJECTION NEEDLE	26	
• ENDOLINE® 2V-JECT 2-WAYS INJECTION NEEDLE	28	
• ENDOLINE® LOOP POLYPECTOMY SNARE	30	
• ENDOLINE® COLD-LOOP COLD SNARE	32	
• ENDOLINE® SPRAY CATHETER SPRAY	33	

### ENDOLINE® 1V - JECT

### 1-WAY INJECTION NEEDLE

26



The ENDOLINE® 1V-JECT 1-way injection needle has been designed specifically and exclusively for haemostasis of gastrointestinal haemorrhages, sclerosis of oesophageal varices and inflating and marking polyps.

The needle is only suitable for use with flexible endoscopes.

#### **ADVANTAGES**

- Radiopaque distal part visible on the screen, for models with a metal tip.
- Ergonomically shaped handle for easy manipulation.
- Product compatible for use with the main endoscopes on the market.
- Luer-Lock connector for connecting a syringe for product injection

### **AVAILABLE HANDLES**

1.0
The most widely used handle in the world, used and approved for over 20 years!

**2.0**Evolution of the handle
1.0, thicker for a better
grip in the hand.

3.0
Optimal ergonomics
and lighter weight,
this handle has been
designed with the user
and the environment
in mind!

### **ABOUT THIS MEDICAL DEVICE**

1st release date	1996
Single use	Yes
Class	lla
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 5 units in individual sterile wrapping
Storage	In its original box in a cool and dry place

The information provided on this data sheet is indicative and subject to change without notice. PRINCE MEDICAL SAS shall not be held responsible for any incidents resulting from inappropriate use, failure to comply with the rules and regulations in force, or failure to follow the instructions for use provided. Medical devices sold by PRINCE MEDICAL SAS should only be used by a duly qualified practitioner or authorised person.

Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.



64 rue Gutenberg - 60530 Ercuis - France

www.prince-medical.com Tel: +33 **(0)3 44 26 54 76** prince-medical@omerin.com

### ENDOLINE® 1V - JECT

		Reference	Catheter diameter	Needle d	iameter	Useful length	Needle outlet length
			(mm/Fr)	(mm)	(G)	(cm)	(mm)
HANDLE 1.0	> Metal Tip						
	- Metat Hp	AS1990718	2,35/7	0,7	22	180	5
		AS1990723	2,35/7	0,7	22	230	5
		AS1991018	2,35/7	1	19	180	5,5
		AS1991023	2,35/7	1	19	230	5,5
ANDLE 2.0	> Plastic Tip						
		AS2940518	1,75/5,3	0,5	25	180	4
		AS2940523	1,75/5,3	0,5	25	230	4
		AS2940718	2,35/7	0,7	22	180	5
		AS2940723	2,35/7	0,7	22	230	5
		AS2941018	2,35/7	1	19	180	5,5
		AS2941023	2,35/7	1	19	230	5,5
	> Metal Tip						
		AS3010718	2,35/7	0,7	22	180	5
		AS3010723	2,35/7	0,7	22	230	5
		AS3011018	2,35/7	1	19	180	5,5
		AS3011023	2,35/7	1	19	230	5,5
		AS3720523	2,35/7	0,5	25	230	3
		AS4310523	2,35/7	0,5	25	230	4,5
ANDLE 3.0	> Plastic Tip						
		AS4480518	1,75/5,3	0,5	25	180	4
		AS4480523	1,75/5,3	0,5	25	230	4
		AS4480718	2,35/7	0,7	22	180	5
		AS4480723	2,35/7	0,7	22	230	5
		AS4481018	2,35/7	1	19	180	5
		AS4481023	2,35/7	1	19	230	5

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France

o4 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com

Tel: +33 **(0)3 44 26 54 76** prince-medical@omerin.com



Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### ENDOLINE® 2V - JECT

### 2 WAYS INJECTION NEEDLE

28



The ENDOLINE® 2V-JECT 2-ways injection needle has been designed specifically and exclusively for haemostasis of gastrointestinal haemorrhages, sclerosis of oesophageal varices and inflating and marking polyps.

The needle is only suitable for use with flexible endoscopes.

The 2<sup>nd</sup> way can be used to clean cleaning and/or rinse the procedure area.

#### ADVANTAGES

- Radiopaque distal part visible on the screen, for models with a metal tip.
- Ergonomically shaped handle for easy manipulation.
- Product compatible for use with the main endoscopes on the market.
- Luer-Lock connector for connecting a syringe for product injection.

#### **AVAILABLE HANDLES**



### **ABOUT THIS MEDICAL DEVICE**

1st release date	1996
Single use	Yes
Class	lla
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 5 units in individual sterile wrapping
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76
prince-medical@omerin.com



PRegistered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### ENDOLINE® 2V - JECT

		Reference	Catheter diameter (mm/Fr)	Needle d (mm)	ameter (G)	Useful length (cm)	Length of the needle outlet (mm)
HANDLE 1.0	> Metal Tip						
		AS1840718	2,35 / 7	0,7	22	180	5
		AS1840723	2,35 / 7	0,7	22	230	5
		AS1841018	2,35 / 7	1	19	180	5,5
		AS1841023	2,35 / 7	1	19	230	5,5
HANDLE 2.0	> Plastic Tip						
		AS2830518	1,75/5,3	0,5	25	180	4
		AS2830523	1,75/5,3	0,5	25	230	4
		AS2830718	2,35/7	0,7	22	180	5
		AS2830723	2,35/7	0,7	22	230	5
		AS2830728	2,35/7	0,7	22	280	5
		AS2831018	2,35/7	1	19	180	5,5
		AS2831023	2,35/7	1	19	230	5,5
	> Metal Tip						
		AS2900718	2,35/7	0,7	22	180	5
		AS2900723	2,35/7	0,7	22	230	5
		AS2900728	2,35/7	0,7	22	280	5
		AS2901018	2,35/7	1	19	180	5,5
		AS2901023	2,35/7	1	19	230	5,5

PRINCE MEDICAL SAS

ZA La Sente Du Moulin

64 rue Gutenberg - 60530 Ercuis - France

www.prince-medical.com

Tel: +33 **(0)3 44 26 54 76** 

prince-medical@omerin.com




Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.



### ENDOLINE® LOOP

POLYPECTOMY SNARE

30



The ENDOLINE® LOOP polypectomy snare enables the resection of sessile/flat or pedicled polyps (≥ 6 mm) in the digestive tract via an upper or lower endoscopy. This snare is connected to the diathermy energy generator via the insert plug on the handle's movable slider.

#### **ADVANTAGES**

- Three fingers grip for easy manipulation.
- Radiopaque distal part for perfect visibility.
- Product compatible for use with the main endoscopes on the market.
- Connector for connection to a diathermic energy generator.

#### **AVAILABLE FORMS**



LARGE OVAL
Snare with flexible or rigid cable Ø 30 x 50 mm



HEXAGONAL Snare with flexible or rigid cable Ø 30 x 50 mm



igid cable Snare with flexible cable

Ø 25 x 50 mm

or 17 x 45 mm

MONOWIRE OVAL



#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	2001
Single use	Yes
Class	llb
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 5 units in individual sterile wrapping
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76
prince-medical@omerin.com



PRegistered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### **ENDOLINE® LOOP**

	Reference	Type of snare	Diameter of the inner cable	Shape diameter (cable/rod)	Cable / Rod	Sheath diameter	Sheath length	Opening
			(mm)	(mm)		(mm)	(cm)	(mm)
LARGE OVAL								
	AS2865023	Flexible	0,67	0,39	Cable	2,35	230	30 × 50
<del></del>	AS3755023	Rigid	0,9	0,45	Cable	2,35	230	30 x 50
SMALL OVAL								
	AS2922523	Flexible	0,67	0,39	Cable	2,35	230	15 x 25
	AS3762523	Rigid	0,9	0,45	Cable	2,35	230	15 x 25
MONOWIRE OVAL								
	AS1961723	Flexible	0,67	0,25	Rod	2,35	230	17 x 45
	AS1972523	Flexible	0,67	0,30	Rod	2,35	230	25 x 50
HEXAGONAL								
	AS2985023	Flexible	0,67	0,39	Cable	2,35	230	30 x 50
	AS3775023	Rigid	0,9	0,45	Cable	2,35	230	30 x 50
ASYMMETRIC								
	AS3265023	Flexible	0,67	0,39	Cable	2,35	230	25
	AS3961523	Flexible	0,67	0,39	Cable	2,35	230	15

PRINCE MEDICAL SAS

ZA La Sente Du Moulin

64 rue Gutenberg - 60530 Ercuis - France

www.prince-medical.com

Tel: +33 **(0)3 44 26 54 76** 

prince-medical@omerin.com



Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### ENDOLINE® COLD-LOOP

### 32 COLD SNAR



The ENDOLINE $^{\circ}$  COLD-LOOP cold snare is intended for endoscopic resection of small sessile/flat ( $\leq 9$  mm) polyps present in the gastrointestinal tract via an upper or lower endoscopy without use of diathermic energy.

#### **ADVANTAGES**

- Three fingers grip for easy manipulation.
- · Radiopaque distal part for perfect visibility.
- Product compatible for use with the main endoscopes on the market.

### AVAILABLE REFERENCE(S)

Reference	Sheath diameter (mm)	Sheath length (cm)	Opening (mm)
AS4372523	2.35	230	10 x 25

#### ABOUT THIS MEDICAL DEVICE

1 <sup>st</sup> release date	2016	
Single use	Yes	
Class	lla	
Sterile	Yes	
Sterilisation method	Ethylene oxide sterilisation	
Contains latex	No	
Lifetime	5 years	
Certification	CE	
Packaging	Box of 5 units in individual sterile wrapping	
Storage	In its original box in a cool and dry place	

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76
prince-medical@omerin.com



<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

### **ENDOLINE® SPRAY**

33









The ENDOLINE® SPRAY catheter spray enables staining products to be injected into the digestive system's mucous membrane. This injection is used for mucosal analysis in case of lesions or polyps in the digestive system, in patients with a relevant medical history or for diagnosis purposes.

#### **ADVANTAGES**

- Easy one-handed operation.
- Product compatible for use with the main endoscopes on the market.
- Luer-Lock connector for connecting a syringe for injection of staining products.

### AVAILABLE REFERENCE(S)

Reference	Catheter diameter (mm)	Useful length (cm)	
AS2791823	1.8	230	

#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	2009
Single use	Yes
Class	ls
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 5 units in individual sterile wrapping
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76

prince-medical@omerin.com







25

## DIGESTIVE & BRONCHIAL ENDOSCOPY

### CYTOLOGICAL SAMPLING

• ENDOLINE® CYTO-BRUSH CYTOLOGY BRUSH

36

### **ENDOLINE® CYTO-BRUSH**

CYTOLOGY BRUSH

36



The ENDOLINE® CYTO-BRUSH cytology brush enables cytological samples to be taken from the mucous membranes of the digestive tract, bronchial tubes and bile ducts for the diagnosis of pathologies such as infectious diseases or cancer.

#### ADVANTAGES

- · Handle with thumb ring for easy manipulation.
- Radiopaque distal part for perfect visibility.
- Includes scissors (depending on product reference).
- Product compatible for use with the main endoscopes on the market.

#### ADDITIONAL ACCESSORIES

Scissors to cut the brush at the end of the examination and place it in a storage bottle for transport to the test lab.

The references concerned: AS3673022, AS3673016, AS3672512, AS3672522



#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	1996
Single use	Yes
Class	Is
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 5 units in individual sterile wrapping
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76
prince-medical@omerin.com




<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

## 37

## ENDOLINE® CYTO-BRUSH

	Reference (cm)	Sheath length (mm)	Sheath diameter (mm)	Brush diameter	
WITHOUT ACCESSORI	ES				
	AS0373022	220	2.35	3	
	AS0373016	160	2.35	3	
	AS0372512	120	1.75	2.5	
	AS0372522	220	1.75	2.5	
WITH ACCESSORIES (SCISSORS)					
_	AS3673022	220	2.35	3	
	AS3673016	160	2.35	3	
	AS3672512	120	1.75	2.5	
	AS3672522	220	1.75	2.5	

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.





# DIGESTIVE & BRONCHIAL ENDOSCOPY

## **GASTRIC BALLOON EXTRACTION**

• ENDOLINE® PUNC DRAINAGE NEEDLE	40	

## ENDOLINE® PUNC

40 DRAINAGE NEEDL

CE STERILE EO

The ENDOLINE® PUNC drainage needle is used to drain gastric balloons.

#### **ADVANTAGES**

- Ergonomically shaped handle for easy manipulation.
- Radiopaque distal part for perfect visibility.
- Luer-Lock connector for connecting a syringe to drain air and water from the gastric balloons.
- Product compatible for use with the main endoscopes on the market.

#### AVAILABLE REFERENCE(S)

Reference	Catheter diameter	Tip diameter	Useful length
	(mm / Fr)	(mm)	(cm)
AS2640718	2.33 / 7	1	180

#### **AVAILABLE AS A KIT WITH EXTRACTION FORCEPS**

ENDOLINE® PUNC&VIPER / Extraction kit

Reference: AS2710718

#### ABOUT THIS MEDICAL DEVICE

1st release date	2008		
Single use	Yes		_
Class	ls		
Sterile	Yes		
Sterilisation method	Ethylene oxide sterilisation		
Contains latex	No		_
Lifetime	5 years		
Certification	CE		7
Packaging	Box of 5 units in individual sterile wrapping		
Storage	In its original box in a cool and dry place		
			_

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76
prince-medical@omerin.com



## **ENDOLINE® VIPER**

### EXTRACTION FORCEPS

41









The ENDOLINE® VIPER double-grasp extraction forceps is used for the extraction of emptied intragastric balloons.

#### **ADVANTAGES**

- Three fingers grip for easy manipulation.
- Radiopaque distal part for perfect visibility.
- $\boldsymbol{\cdot}$  Product compatible for use with the main endoscopes on the market.
- Reinforced with a sheath spring to support balloon resistance during extraction.

### AVAILABLE REFERENCE(S)

Reference	Sheath diameter (mm / Fr)	Sheath length (cm)	
AS2290718	2.3/7	180	

#### AVAILABLE AS A KIT WITH THE DRAINAGE NEEDLE

ENDOLINE® PUNC&VIPER / Extraction kit

Reference: AS2710718

#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	2008
Single use	Yes
Class	Is
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 5 units in individual sterile wrapping
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76

prince-medical@omerin.com







# DIGESTIVE & BRONCHIAL ENDOSCOPY

## ECHO-ENDOSCOPY

• ECHO HOOD® APERTURE-1 BALLOON 1 OPENING	44
• ECHO HOOD® APERTURE-2 BALLOON 2 OPENINGS	45

## ECHO HOOD® APERTURE-1




44









#### **ADVANTAGES**

- · Can withstand handling.
- Adequate thickness for the passage of ultrasound waves.
- Product compatible for use with the main endoscopes on the market.

#### AVAILABLE REFERENCE(S)

Reference	Compatible endoscopes	Balloon length (mm)	Opening size (mm)
AS1470000	ECHO-DUODENOSCOPE Pentax	34	8.7
AS1830000	ECHO-DUODENOSCOPE Olympus	15	6.4
AS3680000	ECHO-DUODENOSCOPE Olympus 180	15	6.5
AS2800000	ECHO-ENDOSCOPE Fujinon convex	18	5.8
AS3560000	ECHO-ENDOSCOPE Fujinon convex	18	6



	1 <sup>st</sup> release date	1998
	Single use	Yes
	Class	Is
-	Sterile	Yes
	Sterilisation method	Ethylene oxide sterilisation
	Contains latex	Yes
	Lifetime	2 years
	Certification	CE
	Packaging	Box of 20 units in individual sterile wrapping
	Storage	In its original box, protected from ultraviolet rays, in a cool and dry place

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

## ECHO HOOD® APERTURE-2

45









The ECHO HOOD® APERTURE-2 balloon for echo-endoscope fits on the ultrasound probe to make contact with the gastrointestinal wall and thus provide a good ultrasound image.

#### **ADVANTAGES**

- · Can withstand handling.
- Adequate thickness for the passage of ultrasound waves.
- Product compatible for use with the main endoscopes on the market.

#### PRECAUTIONS FOR USE

DO NOT USE IN PATIENTS ALLERGIC TO LATEX

#### AVAILABLE REFERENCE(S)

		Length of the balloon	Size of 1 <sup>st</sup>	Size of 2 <sup>nd</sup>
Reference	Compatible endoscopes	(mm)	opening (mm)	opening (mm)
AS1070000	ECHO-DUODENOSCOPE Olympus	16	5.4	2.7
AS2070000	ECHO-DUODENOSCOPE Pentax	19	6.5	5
AS3710000	ECHO-DUODENOSCOPE Pentax	22	1.8	4.2
AS2660000	ECHO-ENDOSCOPE Fujinon radial	19	5.8	5.8
AS3610000	ECHO-ENDOSCOPE Fujinon radial	19	6	6
AS2230000	ECHO-ENDOSCOPE series 160 Olympus	17	5.4	2.7
AS1460000	ECHOCOLOSCOPE Olympus	17	6	8.8
AS3280000	ECHO-BRONCHOSCOPE Olympus	12	1.3	3.3
AS3940000	ECHO-BRONCHOSCOPE Pentax	13.5	3.1	1.15

#### ABOUT THIS MEDICAL DEVICE

1 <sup>st</sup> release date	1998
Single use	Yes
Class	ls
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	Yes
Lifetime	2 years
Certification	CE
Packaging	Box of 20 units in individual sterile wrapping
Storage	In its original box, protected from
	sunlight, in a cool and dry place

PRINCE MEDICAL SAS ZA La Sente Du Moulin

64 rue Gutenberg - 60530 Ercuis - France

www.prince-medical.com Tel: +33 (0)3 44 26 54 76

prince-medical@omerin.com







# DIGESTIVE & BRONCHIAL ENDOSCOPY

## FOREIGN BODIES

• ENDOLINE® HOOD HOOD

48

## **ENDOLINE® HOOD**

48

HOOD





The **ENDOLINE**° **HOOD** fits on the distal end of most endoscopes and protects the cardia, oesophagus and pharynx during endoscopic foreign body removal. It also prevents the foreign body from escaping.

#### **ADVANTAGES**

- Bell shape to completely cover the foreign body.
- Easy fixation and compatible with main endoscopes on the market.
- · Secured by the attached elastic band.

#### PRECAUTIONS FOR USE

DO NOT USE IN PATIENTS ALLERGIC TO LATEX

#### AVAILABLE REFERENCE(S)

Reference	Material	Distal tip diameter (mm)	Proximal tip diameter (mm)	Useful length (mm)
AS0420000	Latex	40	8.3	75

#### **ABOUT THIS MEDICAL DEVICE**

1998
Yes
İs
Yes
Ethylene oxide sterilisation
Yes
2 years
CE
Box of 10 units in individual sterile wrapping
In its original box, protected from ultraviolet rays, in a cool and dry place

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 26 54 76
prince-medical@omerin.com



/ı 0

# DIGESTIVE & BRONCHIAL ENDOSCOPY

## **ACCESSORIES**

• ENDOLINE® VALVE VALVE FOR WORKING CHANNEL	50
• OXYCAP® EVO MOUTHPIECE	52

## **ENDOLINE® VALVE**

## WORKING CHANNEL VALVE



50











VALVE WITH LATERAL IRRIGATION FITTING



VALVE WITH LATERAL IRRIGATION FITTING AND NON-RETURN VALVE The ENDOLINE® VALVE working channel valve is a phosphorescent valve that fits on the endoscope's working channel. It gives accessories access to the working channel, guarantees a tight seal during the examination and eliminates the risk of cross-contamination between patients.

#### **ADVANTAGES**

- · Narrow closure to prevent leakage.
- Product compatible for use with the main endoscopes on the market.
- References with trans-valve fitting connecting to commonly used syringe models.
- · References with lateral irrigation fitting for lavage through the working channel while maintaining the accessory in place.
- References with integrated non-return valve to prevent gastric reflux in the endoscope.

#### ABOUT THIS MEDICAL DEVICE

1st release date	2007
Single use	Yes
Class	ls
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 50 or 100 units in individual sterile wrapping, depending on product reference
Storage	In its original box in a cool and dry place







VALVE ONLY

VALVE WITH FITTING

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



PREGISTER OF TRANSPORT OF PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

## ECHO HOOD® VALVE

00
00
00
00
50
50
50
50
00
00
00
00
1 1 1 1 1 1 1

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 **(0)3 44 26 54 76** 

prince-medicalaomerin.com



## **OXYCAP® EVO**

52











MOUTHPIECE WITH 2 CONNECTORS MOUNTED



MOUTHPIECE WITH BAND AND 2 CONNECTORS MOUNTED

The OXYCAP® EVO mouthpiece is used in upper digestive endoscopies (gastroscopy, duodenoscopy, etc.) to protect the patient's teeth, as well as to protect endoscopes passing through the oral cavity. The connectors allow continuous oxygenation during the procedure.

#### **MOUTHPIECES**

Reference	Configuration	Packaging	
AS4200000	Only	75	
AS4210000	With band	75	
AS4250000	With 2 connectors mounted	75	
AS4260000	With band and 2 connectors mounted	75	

#### **ADDITIONAL ACCESSORIES**

Reference	Configuration	Packaging	
AS4220000	Band only	75	
AS4270000	Connector with Luer	10	
AS4280000	Connector with filter	10	
AS4230000	White connector only	100	
AS4390000	Yellow connector only	100	

#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	2017
Single use	Yes
Class	ls
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	2 years
Certification	CE
Packaging	Box of 10, 75 or 100 units in individual sterile wrapping depending on product reference
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



# DIGESTIVE & BRONCHIAL ENDOSCOPY

## **CLEANING SWABS AND BRUSHES**

• CLEANBRUSH° ENDO CLEANING BRUSH FOR ENDOSCOPE WORKING CHANNEL	54	
• CLEANBRUSH° ENDO-XL CLEANING BRUSH FOR RIGID INSTRUMENTS	56	
• CLEANBRUSH® PISTON CLEANING BRUSH FOR ENDOSCOPE VALVES	57	
• CLEANBRUSH° EXO-B BRUSH FOR EXTERNAL ENDOSCOPE CLEANING	58	
• CLEANBRUSH° EXO-S SPONGE FOR EXTERNAL ENDOSCOPE CLEANING	59	
• CLEANBRUSH® KIT-2 2-PART CLEANING SWAB KIT	60	
• CLEANBRUSH° KIT-3 3-PART CLEANING SWAB KIT	62	
• CLEANBRUSH° KIT-4 4-PART CLEANING SWAB KIT	64	
• CLEANBRUSH® KIT-5 5-ELEMENT CLEANING SWAB KIT	64	
• CLEANBRUSH® TRACH BRUSH FOR TRACHEAL CANNULA	66	


## **CLEANBRUSH® ENDO**



54







- > working channels, air/water channels in flexible endoscopes,
- > working channels, air/water channels in rigid endoscopes,
- > 0-type duodenoscope elevator.

They are suitable for use with the main gastroscopes, colonoscopes, duodenoscopes, enteroscopes, bronchoscopes, cystoscopes, ureteroscopes, nephroscopes, hysteroscopes and naso-laryngoscopes on the market.


#### ABOUT THIS MEDICAL DEVICE

1 <sup>st</sup> release date	1999		
Single use	Yes		
Class			
Sterile	No (ethylene oxide decontamination)		
Contains latex	No		
Lifetime	5 years		
Certification	CE		
Packaging	Box of 50 units in non-sterile wrapping		
Storage	In its original box in a cool and dry place		

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76

prince-medical@omerin.com





<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

## **CLEANBRUSH® ENDO**

#### AVAILABLE REFERENCE(S)

#### > CLEANING THE WORKING CHANNEL ON FLEXIBLE ENDOSCOPES

Refere	nce	Brush diameter	Number of brushes	Sheath diameter	Recommended diameter for working channel of the endoscope	Length
		(mm)		(mm)		(cm)
HN3272	2011	2	1	0.8	From 1 mm to 1.6 mm	110
HN3272	2023	2	1	8.0	From 1 mm to 1.6 mm	230
HN1050	106	1.8	1	1	From 1.2 mm to 1.6 mm	60
HN1050	110	1.8	1	1	From 1.2 mm to 1.6 mm	100
HN1050	123	1.8	1	1	From 1.2 mm to 1.6 mm	230
HN1050	135	1.8	1	1	From 1.2 mm to 1.6 mm	350
HN1050	138	1.8	1	1	From 1.2 mm to 1.6 mm	380
HN1060	)110	1.8	2	1	From 1.2 mm to 1.6 mm	100
HN1060	)123	1.8	2	1	From 1.2 mm to 1.6 mm	230
HN1053	006	3	1	1.60	From 1.8 mm to 2.6 mm	60
HN1053	007	3	1	1.60	From 1.8 mm to 2.6 mm	75
HN1053	010	3	1	1.60	From 1.8 mm to 2.6 mm	100
HN1053	018	3	1	1.60	From 1.8 mm to 2.6 mm	180
HN1053	023	3	1	1.60	From 1.8 mm to 2.6 mm	230
HN1053	028	3	1	1.60	From 1.8 mm to 2.6 mm	280
HN1063		3	2	1.60	From 1.8 mm to 2.6 mm	100
HN1063	1018	3	2	1.60	From 1.8 mm to 2.6 mm	180
HN1063	1023	3	2	1.60	From 1.8 mm to 2.6 mm	230
HN1063		3	2	1.60	From 1.8 mm to 2.6 mm	280
HN2083		11& 3	2	1.60	From 1.8 mm to 2.6 mm	180
HN2083		11& 3	2	1.60	From 1.8 mm to 2.6 mm	230
HN1055		5	1	1.80	From 2.7 mm to 4.6 mm	20
HN1055	006	5	1	1.80	From 2.7 mm to 4.6 mm	60

, OTHER CEEMIN

Reference	Brush Diameter	Number of brushes	Sheath diameter	Recommended diameter Le for working channel of the endoscope	ngth
	(mm)		(mm)	•	cm)
HN1053004	3	1	1.60	From 1.8 mm to 2.6 mm	40
HN1055004	5	1	1.80	From 2.7 mm to 4.6 mm	40
HN1051104	11	1	1.80	From 6.1 mm to 10.6 mm	40

> CLEANING THE WORKING CHANNEL ON RIGID ENDOSCOPES

Reference	Brush diameter	Number of brushes	Sheath diameter	Recommended diameter for working channel of the endoscope	Length	
	(mm)		(mm)		(cm)	
HN1055010	5	1	1.80	From 2.7 mm to 4.6 mm	100	
HN1055018	5	1	1.80	From 2.7 mm to 4.6 mm	180	
HN1055020	5	1	1.80	From 2.7 mm to 4.6 mm	200	
HN1055023	5	1	1.80	From 2.7 mm to 4.6 mm	230	
HN1055028	5	1	1.80	From 2.7 mm to 4.6 mm	280	
HN1055030	5	1	1.80	From 2.7 mm to 4.6 mm	300	
HN1065010	5	2	1.80	From 2.7 mm to 4.6 mm	100	
HN1065018	5	2	1.80	From 2.7 mm to 4.6 mm	180	
HN1065020	5	2	1.80	From 2.7 mm to 4.6 mm	200	
HN1065023	5	2	1.80	From 2.7 mm to 4.6 mm	230	
HN1065028	5	2	1.80	From 2.7 mm to 4.6 mm	280	
HN1065030	5	2	1.80	From 2.7 mm to 4.6 mm	300	
HN2085023	11 & 5	2	1.80	From 2.7 mm to 4.6 mm	230	
HN1785023	5	3	1.80	From 2.7 mm to 4.6 mm	230	
HN3525023	5	2	1.80	From 2.7 mm to 4.6 mm	230	
HN1056506	6.5	1	1.80	From 4.7 mm to 6 mm	60	
HN1056523	6.5	1	1.80	From 4.7 mm to 6 mm	230	
HN1066523	6.5	2	1.80	From 4.7 mm to 6 mm	230	
HN1068023	8	2	1.80	From 4.2 mm to 7.6 mm	230	
HN1068028	8	2	1.80	From 4.2 mm to 7.6 mm	280	

#### > OTHER CLEANING

Reference	Brush diameter (mm)	Number of brushes	Type of cleaning Leng	
HN4302000	2	1	O-type duodenoscope elevator 6	



PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 **(0)3 44 26 54 76** 

prince-medical@omerin.com



Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

## CLEANBRUSH® ENDO-XL



56







The CLEANBRUSH® ENDO-XL cleaning brushes are intended for cleaning the channels of rigid instruments before sterilisation, such as surgical trocars.

They are also suitable for cleaning rigid endoscopes used in urology, gynaecology and ENT.

#### AVAILABLE REFERENCE(S)

Reference	Brush diameter (mm)	Number of brushes		Recommended diameter r forchannel to be cleaned	Length (cm)	Packaging
HN3435506	5.5	1	3.3	From 4.1 to 5 mm	60	20
HN3438006	8	1	3.3	From 5.1 mm to 7 mm	60	20
HN3431106	11	1	3.3	From 7.1 to 9 mm	60	20
HN3431406	14	1	3.3	From 9.1 mm to 12 mm	60	10
HN3431806	18	1	3.3	From 12.1 to 16 mm	60	10
HN2575006	5 11	2	3.3	From 2.7 to 4.5 mm From 6 to 10 mm	60	10



#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	1999
Single use	Yes
Class	
Sterile	No (ethylene oxide decontamination)
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 10 or 20 units in non-sterile wrapping according to the reference
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



PREGISTER OF TRANSPORT OF PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

## **CLEANBRUSH® PISTON**

## CLEANING BRUSH FOR ENDOSCOPE VALVES

57







The CLEANBRUSH® PISTON cleaning brushes are intended for cleaning the valve and valve cages of flexible endoscopes.

They are suitable for use with the main gastroscopes, colonoscopes, duodenoscopes, enteroscopes, bronchoscopes, cystoscopes, ureteroscopes, nephroscopes, hysteroscopes and naso-laryngoscopes on the market.

#### AVAILABLE REFERENCE(S)

Reference	Brush diameter (mm)	Number of brushes	Type of cleaning	Length (cm)
HN1061110	11 & 5	2	For valves and valve cages	15.5



#### ABOUT THIS MEDICAL DEVICE

1 <sup>st</sup> release date	1999
Single use	Yes
Class	
Sterile	No (ethylene oxide decontamination)
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 50 units in non-sterile wrapping
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS

ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France

www.prince-medical.com

Tel: +33 **(0)3 44 26 54 76** 

prince-medical@omerin.com

PRINCE MEDICAL

The information provided on this data sheet is indicative and subject to change without notice. PRINCE MEDICAL SAS shall not be held responsible for any incidents resulting from inappropriate use, failure to comply with the rules and regulations in force, or failure to follow the instructions for use provided. Medical devices sold by PRINCE MEDICAL SAS should only be used by a duly qualified practitioner or authorised person.

and the comment

## CLEANBRUSH® EXO-B



58









The CLEANBRUSH® EXO-B external brushes are intended for cleaning the external surface of endoscopes.

#### AVAILABLE REFERENCE(S)

Reference	Bristles length (cm)	Useful Length (cm)	Brush shape	Bristle type
HN2580000	1	2 x 8	U-shaped	Supple
HN3952200	2	5.5	Straight with handle	Supple
HN3953500	1.5	5.5	Straight with handle	Rigid

#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	1999	
Single use	Yes	
Class	I	
Sterile	No (ethylene oxide decontamination)	
Contains latex	No	
Lifetime	5 years	
Certification	CE	
Packaging	Box of 25 units in non-sterile wrapping	
Storage	In its original box in a cool and dry place	

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

# **CLEANBRUSH®EXO-S**

59







The CLEANBRUSH® EXO-S sponge is intended for cleaning the external surface of endoscopes.

#### AVAILABLE REFERENCE(S)

Reference	Available width (cm)	Available length (cm)
HN1790000	5	13



#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	1999
Single use	Yes
Class	
Sterile	No (ethylene oxide decontamination)
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 25 units in non-sterile wrapping
Storage	In its original box in a cool and dry place
<del>'</del>	

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76

prince-medical@omerin.com

## CLEANBRUSH® KIT-2


## 60





Charles (IIIIIIIII)





They are suitable for use with most major brands of gastroscopes, colonoscopes, duodenoscopes, enteroscopes, bronchoscopes, cystoscopes, ureteroscopes, nephroscopes, hysteroscopes and naso-laryngoscopes.

#### KIT COMPONENTS (SEE THE TABLE FOR THE DETAILED COMPONENTS BY REFERENCE)

- CLEANBRUSH® ENDO: cleaning brush for working channel
- CLEANBRUSH® PISTON: cleaning brush for valves, valve cages
- CLEANBRUSH® EXO-B: brush for external cleaning
- CLEANBRUSH® EXO- S: sponge for external cleaning

#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	1999
Single use	Yes
Class	
Sterile	No (ethylene oxide decontamination)
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 25 or 50 units depending on product reference
Storage	In its original box in a cool and dry place



PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



PREGISTER OF TRANSPORT OF PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

61

## CLEANBRUSH® KIT-2

#### REFERENCES FOR CLEANING BRUSHES

### AVAILABLE REFERENCE(S)

Kit reference	For working channel	For valves	Packaging
Kit reference  HN1850110 HN1853010 HN1853018 HN1855010 HN1855018 HN1855020 HN1855023 HN1856523 HN1860110 HN1863010 HN1863010 HN1865010 HN1865010 HN1865010 HN1865010	HN1050110 (with 1 brush Ø 1.8 mm L100 cm) HN1053010 (with 1 brush Ø 3 mm L100 cm) HN1053018 (with 1 brush Ø 3 mm L180 cm) HN1055010 (with 1 brush Ø 5 mm L180 cm) HN1055018 (with 1 brush Ø 5 mm L180 cm) HN1055020 (with 1 brush Ø 5 mm L200 cm) HN1055023 (with 1 brush Ø 5 mm L230 cm) HN1056523 (with 1 brush Ø 5 mm L230 cm) HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN1065010 (with 2 brushes Ø 5 mm L200 cm) HN1065020 (with 2 brushes Ø 5 mm L200 cm)	HN1061110 (with 2 brushes Ø11 & 5mm, L15.5 cm)	Packaging  50
HN1865023 HN1866523	HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN1066523 (with 2 brushes Ø 6.5 mm L230 cm)		

#### KIT COMPONENT REFERENCES

Kit reference	t reference Brush for external cleaning S		Packaging
HN2750000	HN2580000 (U-shaped with soft hair, useful length 2 $\times$ 8 cm	HN1790000 )	25

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76

prince-medical@omerin.com



## CLEANBRUSH® KIT-3


#### 62





معصمه الالالالالالالالالالالا





They are suitable for use with the main gastroscopes, colonoscopes, duodenoscopes, enteroscopes, bronchoscopes, cystoscopes, ureteroscopes, nephroscopes, hysteroscopes and naso-laryngoscopes on the market.

#### KIT COMPONENTS (SEE THE TABLE FOR THE DETAILED COMPONENTS BY REFERENCE)

- · CLEANBRUSH® ENDO: cleaning brush for working channel
- CLEANBRUSH® ENDO (AN1055002, AN1056523): cleaning brush for aspiration channel
- CLEANBRUSH® ENDO (AN1050123): cleaning brush for air/water channel, and/or Water Jet and/or balloon inflation channel
- · CLEANBRUSH® PISTON: cleaning brush for valves, valve cages
- · CLEANBRUSH® EXO-B: brush for external cleaning

#### ABOUT THIS MEDICAL DEVICE

1 <sup>st</sup> release date	1999	
Single use	Yes	
Class	I	
Sterile	No (ethylene oxide decontamination)	
Contains latex	No	
Lifetime	5 years	
Certification	CE	
Packaging	Box of 25 or 50 units depending on product reference	
Storage	In its original box in a cool and dry place	7

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



PREGISTER OF TRANSPORT OF PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

63

# CLEANBRUSH® KIT-3

HN1883018 HN1055023 (with 1 brush 0 3 mm L180 cm) HN1885023 HN10555223 (with 1 brush 0 5 mm L230 cm) HN1885023 HN10555223 (with 1 brush 0 6.5 mm L230 cm) HN1895023 HN1065523 (with 2 brushes 0 5 mm L230 cm) HN1895023 HN1065523 (with 2 brushes 0 5 mm L230 cm) HN1895023 HN1065523 (with 2 brushes 0 6.5 mm L230 cm) HN2780110 HN1063010 (with 2 brushes 0 3 mm L180 cm) HN2780110 HN1063010 (with 2 brushes 0 3 mm L180 cm) HN2193010 HN1063016 (with 2 brushes 0 3 mm L180 cm) HN2193010 HN1063016 (with 2 brushes 0 3 mm L180 cm) HN2193010 HN1063018 (with 1 brush 0 3 mm L180 cm) HN2953018 HN1065023 (with 1 brush 0 5 mm L230 cm) HN2953018 HN1055023 (with 1 brush 0 5 mm L230 cm) HN44475023 HN1055023 (with 1 brush 0 5 mm L230 cm) HN2525010 HN1053010 (with 1 brush 0 18 mm L100 cm) HN2523010 HN1055010 (with 1 brush 0 3 mm L180 cm) HN2523010 HN1055010 (with 1 brush 0 3 mm L180 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055010 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055010 (with 2 brushes 0 3 mm L180 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1050303 (with 2 brushes 0 3 mm L100 cm) HN2523010 HN1050303 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1050303 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1050303 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1055030 (with 2 brushes 0 3 mm L100 cm) HN2535003 HN1055030 (with 2 brushes 0 3 mm L100 cm) HN2535003 HN1055030 (with 2 brushes 0 3 mm L100 cm) HN2535003 HN1055030 (with 2 brushes 0 3 mm L100 cm) HN2535003 HN1055030 (with 2 brushes 0 3 mm L100 cm) HN2535003 HN1055030 (with 2 brushes 0 3 mm L230 cm) HN2535003 HN1055030 (with 2 brushes 0 3 mm L230 cm)		REFERENCE	ES FOR CLEANING BRI	USHES		NENTS	
HN1885023 HN1055023 (with 1 brush 0 5 mm L230 cm) HN1885623 HN1056523 (with 2 brushes 0 5 mm L230 cm) HN1895023 HN1065023 (with 2 brushes 0 5 mm L230 cm) HN1895010 HN1065023 (with 2 brushes 0 5 mm L230 cm) HN2780110 HN1050110 (with 1 brush 0 1 3 mm L100 cm) HN2780110 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2193010 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2193010 HN1063018 (with 2 brushes 0 3 mm L180 cm) HN2193010 HN1063018 (with 2 brushes 0 3 mm L180 cm) HN2193010 HN1053018 (with 1 brush 0 3 mm L180 cm) HN2193010 HN1053018 (with 1 brush 0 3 mm L180 cm) HN2193010 HN1053018 (with 1 brush 0 5 mm L230 cm) HN2193010 HN1055023 (with 1 brush 0 5 mm L230 cm) HN2495010 HN1055023 (with 1 brush 0 5 mm L230 cm) HN44475018 HN1055023 (with 1 brush 0 5 mm L230 cm) HN4495010 HN1055010 (with 1 brush 0 3 mm L180 cm) HN4495010 HN1055010 (with 1 brush 0 3 mm L100 cm) HN2233010 HN1055023 (with 1 brush 0 3 mm L100 cm) HN2233010 HN1055030 (with 1 brush 0 3 mm L100 cm) HN2523000 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2525000 HN1055030 (with 1 brush 0 5 mm L200 cm) HN2525000 HN1055030 (with 1 brush 0 5 mm L200 cm) HN2525000 HN1055030 (with 1 brush 0 5 mm L200 cm) HN2533010 HN1056030 (with 2 brushes 0 1 mm L100 cm) HN2533010 HN10563010 (with 2 brushes 0 5 mm L100 cm) HN2533010 HN10563010 (with 2 brushes 0 5 mm L100 cm) HN2533010 HN1056303 (with 2 brushes 0 5 mm L100 cm) HN2533010 HN1056303 (with 2 brushes 0 5 mm L100 cm) HN2533010 HN1056303 (with 2 brushes 0 5 mm L100 cm) HN2533010 HN1056303 (with 2 brushes 0 5 mm L100 cm) HN2533010 HN1056303 (with 2 brushes 0 5 mm L100 cm) HN2533003 HN1056303 (with 2 brushes 0 5 mm L230 cm) HN2535003 HN1056303 (with 2 brushes 0 5 mm L230 cm)	Kit reference	For working channel	For aspiration channel	l Forvalves	water jet,	External cleaning brush	Packaging
HN1886523	HN1883018	,					
HN186523 (with 1 brush 0 6.5 mm L230 cm) HN186523 (with 2 brushes 0 5 mm L230 cm) HN186503 (with 2 brushes 0 6.5 mm L230 cm) HN186503 (with 2 brushes 0 6.5 mm L230 cm) HN2770110 HN1050110 (with 1 brush 0 1.8 mm L100 cm) HN2780110 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2780110 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2183010 HN1053010 (with 1 brush 0 3 mm L180 cm) HN2183018 HN1053018 (with 1 brush 0 3 mm L180 cm) HN2953018 HN1053018 (with 1 brush 0 3 mm L180 cm) HN2953018 HN1053018 (with 1 brush 0 5 mm L180 cm) HN44475018 HN1055018 (with 1 brush 0 5 mm L230 cm) HN44495018 HN1055018 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055023 (with 1 brush 0 3 mm L100 cm) HN2523010 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2523010 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2523010 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2523010 HN1053010 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055023 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055023 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055010 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055010 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2523010 HN1053010 (wit	HN1885023	HN1055023 (with 1 brush $\emptyset$ 5 mm L230 cm)			µм1∩∈∩1⊃э		
HN1893018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2770110 HN1050110 (with 1 brush Ø 1.8 mm L100 cm) HN2780110 HN1050110 (with 1 brush Ø 3 mm L180 cm) HN2780110 HN1063010 (with 2 brushes Ø 1.8 mm L100 cm) HN2780110 HN1053010 (with 2 brushes Ø 1.8 mm L100 cm) HN2780110 HN1063010 (with 2 brushes Ø 3 mm L180 cm) HN2183010 HN1063010 (with 2 brushes Ø 3 mm L180 cm) HN2193010 HN1063010 (with 2 brushes Ø 3 mm L180 cm) HN2933018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2953018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2963018 HN1053018 (with 1 brush Ø 5 mm L230 cm) HN44475018 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN4495023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2933007 HN1055010 (with 1 brush Ø 3 mm L100 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L100 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L100 cm) HN2523010 HN1055010 (with 1 brush Ø 5 mm L300 cm) HN2523010 HN1055023 (with 1 brush Ø 5 mm L300 cm) HN2523010 HN1055010 (with 1 brush Ø 5 mm L300 cm) HN2523010 HN1055010 (with 1 brush Ø 5 mm L300 cm) HN2523010 HN1055010 (with 1 brush Ø 5 mm L300 cm) HN2523010 HN1055010 (with 1 brush Ø 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L300 cm)	HN1886523	HN1056523 (with 1 brush Ø 6.5 mm L230 cm)			(with 1 brush Ø 1.8 mm		
HN1896523 HN1066523 (with 2 brushes 0 6.5 mm L230 cm) HN2770110 HN1050110 (with 1 brush 0 1.8 mm L100 cm) HN2780110 HN1063010 (with 1 brush 0 3 mm L100 cm) HN2183010 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2193010 HN1063018 (with 1 brush 0 3 mm L100 cm) HN2193010 HN1063018 (with 2 brushes 0 3 mm L100 cm) HN2193018 HN1063018 (with 1 brush 0 3 mm L180 cm) HN2953018 HN1063018 (with 1 brush 0 3 mm L180 cm) HN4475018 HN1055018 (with 1 brush 0 5 mm L30 cm) HN4495018 HN1055013 (with 1 brush 0 5 mm L30 cm) HN4495018 HN1065018 (with 2 brushes 0 5 mm L230 cm) HN2523010 HN1065013 (with 1 brush 0 3 mm L100 cm) HN2523010 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2523010 HN1055030 (with 1 brush 0 3 mm L100 cm) HN2525010 HN1055030 (with 1 brush 0 5 mm L30 cm) HN2525010 HN1055030 (with 1 brush 0 5 mm L30 cm) HN2525010 HN1055030 (with 1 brush 0 5 mm L30 cm) HN2525010 HN1055030 (with 1 brush 0 5 mm L30 cm) HN2523010 HN1065010 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1065030 (with 1 brush 0 5 mm L30 cm) HN2535010 HN1065030 (with 1 brush 0 5 mm L30 cm) HN2533010 HN1065030 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L230 cm)	HN1893018	HN1063018 (with 2 brushes Ø 3 mm L180 cm)			L230 cm)		50
HN2770110 HN1050110 (with 1 brush Ø 1.8 mm L100 cm) HN2780110 HN1050110 (with 1 brush Ø 3 mm L100 cm) HN2780110 HN1050110 (with 1 brush Ø 3 mm L100 cm) HN2780110 HN105010 (with 1 brush Ø 3 mm L100 cm) HN2780110 HN105010 (with 1 brush Ø 3 mm L100 cm) HN2930110 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2953018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2953018 HN1055018 (with 1 brush Ø 5 mm L80 cm) HN495018 HN1055018 (with 1 brush Ø 5 mm L20 cm) HN495018 HN1055018 (with 1 brush Ø 5 mm L20 cm) HN495018 HN1055018 (with 1 brush Ø 5 mm L20 cm) HN495019 HN1055018 (with 1 brush Ø 5 mm L20 cm) HN495010 HN1055010 (with 1 brush Ø 3 mm L180 cm) HN2523010 HN1055010 (with 1 brush Ø 3 mm L100 cm) HN2523010 HN1055010 (with 1 brush Ø 3 mm L100 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L20 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L20 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L20 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L20 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L20 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L20 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L20 cm) HN2525010 HN1055010 (with 2 brushes Ø 1 mm L100 cm) HN2525010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN2525010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN2525010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L20 cm)	HN1895023	HN1065023 (with 2 brushes Ø 5 mm L230 cm)					
HN253010 HN1050110 (with 2 brushes Ø 1.8 mm L100 cm) HN2183018 HN1053018 (with 1 brush Ø 3 mm L100 cm) HN2193018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN293018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2953018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2963018 HN1063018 (with 1 brush Ø 5 mm L300 cm) HN2475023 HN1055018 (with 1 brush Ø 5 mm L230 cm) HN44475023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN4495018 HN1065018 (with 2 brushes Ø 5 mm L230 cm) HN4495018 HN1065018 (with 2 brushes Ø 5 mm L230 cm) HN4495023 HN1055023 (with 1 brush Ø 3 mm L180 cm) HN2523010 HN1053007 (with 1 brush Ø 3 mm L180 cm) HN2523010 HN1053007 (with 1 brush Ø 3 mm L180 cm) HN2523010 HN1055030 (with 1 brush Ø 3 mm L180 cm) HN2525010 HN1055030 (with 1 brush Ø 3 mm L180 cm) HN2523010 HN1055030 (with 1 brush Ø 5 mm L230 cm) HN2525010 HN1055030 (with 1 brush Ø 5 mm L230 cm) HN2525010 HN1055030 (with 1 brush Ø 5 mm L230 cm) HN2525010 HN1055030 (with 1 brush Ø 5 mm L230 cm) HN2525010 HN1055030 (with 1 brush Ø 5 mm L230 cm) HN2525010 HN1055030 (with 1 brush Ø 5 mm L230 cm) HN2525010 HN1055030 (with 1 brush Ø 5 mm L230 cm) HN2533010 HN1065018 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1065010 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1065010 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L230 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L230 cm)	HN1896523	HN1066523 (with 2 brushes Ø 6.5 mm L230 cm,					
HN02183010 HN1053018 (with 1 brush Ø 3 mm L100 cm) HN2193010 HN1063018 (with 2 brushes Ø 3 mm L100 cm) HN2193010 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2933018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2963018 HN1063018 (with 1 brush Ø 3 mm L180 cm) HN2963018 HN1063018 (with 1 brush Ø 3 mm L180 cm) HN4495031 HN1065023 (with 1 brush Ø 5 mm L230 cm) HN449503 HN1065023 (with 1 brush Ø 5 mm L230 cm) HN449503 HN1065023 (with 1 brush Ø 5 mm L100 cm) HN2523010 HN1053007 (with 1 brush Ø 3 mm L100 cm) HN2523010 HN1055010 (with 1 brush Ø 3 mm L100 cm) HN252502 HN1055023 (with 1 brush Ø 3 mm L100 cm) HN2525030 HN1055010 (with 1 brush Ø 5 mm L230 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L200 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L200 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L200 cm) HN2525010 HN1055010 (with 2 brushes Ø 5 mm L200 cm) HN2525010 HN1055010 (with 2 brushes Ø 1.8 mm L100 cm) HN2525010 HN1055010 (with 2 brushes Ø 5 mm L200 cm) HN2525010 HN1055010 (with 2 brushes Ø 5 mm L200 cm) HN2525010 HN1055010 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063018 (with 2 brushes Ø 3 mm L100 cm) HN2535010 HN1063018 (with 2 brushes Ø 5 mm L200 cm) HN2533010 HN1063018 (with 2 brushes Ø 5 mm L200 cm) HN2533010 HN1063018 (with 2 brushes Ø 5 mm L200 cm) HN2533010 HN1063018 (with 2 brushes Ø 5 mm L200 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L200 cm) HN2535023 HN1065023 (with 2 brushes Ø 5 mm L200 cm) HN2535010 HN1063018 (with 2 brushes Ø 5 mm L200 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L200 cm) HN2535010 HN1065023 (with 2 brushes Ø 5 mm L200 cm) HN2535010 HN1065023 (with 2 brushes Ø 5 mm L200 cm) HN2535010 HN1065023 (with 2 brushes Ø 5 mm L200 cm)	HN2770110	HN1050110 (with 1 brush Ø 1.8 mm L100 cm)		į			
HN2183010 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2193018 HN1053018 (with 1 brush 0 3 mm L180 cm) HN2193018 HN1063018 (with 2 brushes 0 3 mm L180 cm) HN2953018 HN1053018 (with 2 brushes 0 3 mm L180 cm) HN2953018 HN1053018 (with 1 brush 0 3 mm L180 cm) HN4475018 HN1055023 (with 1 brush 0 5 mm L230 cm) HN4475023 HN1055023 (with 1 brush 0 5 mm L230 cm) HN4495023 HN1055023 (with 2 brushes 0 5 mm L230 cm) HN42520110 HN1055018 (with 2 brushes 0 5 mm L230 cm) HN2523007 HN1053007 (with 1 brush 0 3 mm L180 cm) HN2523010 HN1055018 (with 1 brush 0 3 mm L180 cm) HN2523010 HN1055010 (with 1 brush 0 5 mm L230 cm) HN2525010 HN1055010 (with 1 brush 0 5 mm L30 cm) HN2525010 HN1055010 (with 1 brush 0 5 mm L30 cm) HN2525010 HN1055010 (with 1 brush 0 5 mm L30 cm) HN2525010 HN1055010 (with 1 brush 0 5 mm L30 cm) HN2525010 HN1055010 (with 1 brush 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 18 mm L100 cm) HN2533010 HN1063018 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1063018 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1063018 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1063018 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1063018 (with 2 brushes 0 3 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm) HN2533010 HN1063018 (with 2 brushes 0 5 mm L30 cm)	HN2780110	HN1060110 (with 2 brushes Ø 1.8 mm L100 cm)		į			
HN2183018 HN1053018 (with 1 brush 0 3 mm L180 cm) HN2193010 HN1063010 (with 2 brushes 0 3 mm L180 cm) HN293018 HN1063018 (with 1 brush 0 3 mm L180 cm) HN293018 HN1063018 (with 1 brush 0 3 mm L180 cm) HN2963018 HN1063018 (with 1 brush 0 5 mm L180 cm) HN44950318 HN1055018 (with 1 brush 0 5 mm L180 cm) HN4495031 HN1055018 (with 1 brush 0 5 mm L180 cm) HN449503 HN1055023 (with 1 brush 0 5 mm L230 cm) HN449503 HN1065023 (with 2 brushes 0 5 mm L230 cm) HN449503 HN1065023 (with 1 brush 0 3 mm L180 cm) HN2523010 HN1053010 (with 1 brush 0 3 mm L100 cm) HN2523010 HN1055010 (with 1 brush 0 3 mm L180 cm) HN252503 HN1055030 (with 1 brush 0 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush 0 5 mm L300 cm) HN2525030 HN1055030 (with 1 brush 0 5 mm L300 cm) HN2525030 HN1055030 (with 1 brush 0 5 mm L300 cm) HN2525030 HN1055030 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1063018 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1063018 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1063018 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1063018 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1063010 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes 0 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L230 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L300 cm) HN2533010 HN1065010 (with 2 brushes 0 5 mm L300 cm)	HN2183010	HN1053010 (with 1 brush Ø 3 mm L100 cm)		į			
HN293018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2953018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2963018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN4475018 HN1055018 (with 1 brush Ø 5 mm L230 cm) HN4495023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN449503 HN1065023 (with 1 brush Ø 5 mm L230 cm) HN49503 HN1065018 (with 2 brushes Ø 5 mm L180 cm) HN49503 HN1065018 (with 1 brush Ø 1.8 mm L100 cm) HN2523010 HN1053007 (with 1 brush Ø 3 mm L180 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L180 cm) HN252503 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2533010 HN1063010 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1065023 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L230 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L230 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN2183018	HN1053018 (with 1 brush Ø 3 mm L180 cm)		į			
HN293018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2953018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2963018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN4475018 HN1055018 (with 1 brush Ø 5 mm L230 cm) HN4495023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN449503 HN1065023 (with 1 brush Ø 5 mm L230 cm) HN49503 HN1065018 (with 2 brushes Ø 5 mm L180 cm) HN49503 HN1065018 (with 1 brush Ø 1.8 mm L100 cm) HN2523010 HN1053007 (with 1 brush Ø 3 mm L180 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L180 cm) HN252503 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2533010 HN1063010 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1065023 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L230 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L230 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN2193010	HN1063010 (with 2 brushes Ø 3 mm L100 cm)		į			
HN2953018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2963018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN44475018 HN1055018 (with 1 brush Ø 5 mm L180 cm) HN44475023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN4495018 HN1065018 (with 2 brushes Ø 5 mm L180 cm) HN495010 HN1065010 (with 1 brush Ø 1.8 mm L100 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L100 cm) HN2525023 HN1055023 (with 1 brush Ø 3 mm L100 cm) HN2525023 HN1055023 (with 1 brush Ø 3 mm L100 cm) HN2525010 HN1053010 (with 1 brush Ø 3 mm L100 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055003 (with 1 brush Ø 5 mm L300 cm) HN2525030 HN1055003 (with 1 brush Ø 5 mm L300 cm) HN2533010 HN1063010 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 5 mm L300 cm) HN2533010 HN1063010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 5 mm L230 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN2193018	HN1063018 (with 2 brushes Ø 3 mm L180 cm)		į			50
HN1063018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN4475018 HN1055018 (with 1 brush Ø 5 mm L180 cm) HN4475023 HN1055023 (with 1 brush Ø 5 mm L180 cm) HN4495018 HN1065018 (with 2 brushes Ø 5 mm L180 cm) HN4495018 HN1065010 (with 2 brushes Ø 5 mm L180 cm) HN42520110 HN1050110 (with 1 brush Ø 3 mm L100 cm) HN2523007 HN1053010 (with 1 brush Ø 3 mm L100 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L180 cm) HN2523010 HN1055010 (with 1 brush Ø 5 mm L230 cm) HN2523010 HN1055010 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2525030 HN1065010 (with 2 brushes Ø 1.8 mm L100 cm) HN2525030 HN1065010 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm)	HN2953018	HN1053018 (with 1 brush Ø 3 mm L180 cm)					
HN4475018 HN1055018 (with 1 brush Ø 5 mm L180 cm) HN4475023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN4495018 HN1065018 (with 2 brushes Ø 5 mm L180 cm) HN4495023 HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN42520110 HN1050110 (with 1 brush Ø 1.8 mm L100 cm) HN2523007 HN1053010 (with 1 brush Ø 3 mm L75 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L180 cm) HN2523018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2525023 HN1055023 (with 1 brush Ø 5 mm L200 cm) HN2525020 HN1055030 (with 1 brush Ø 5 mm L200 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2525010 HN1065010 (with 2 brushes Ø 1.8 mm L100 cm) HN2525010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN253010 HN1065010 (with 2 brushes Ø 3 mm L100 cm) HN253010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN253010 HN1065010 (with 2 brushes Ø 5 mm L230 cm) HN2535010 HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN2963018	HN1063018 (with 2 brushes Ø 3 mm L180 cm)	(with 1 brush Ø 5 mm,				
HN1055023 (with 1 brush Ø 5 mm L230 cm) HN1065018 (with 2 brushes Ø 5 mm L180 cm) HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN2520110 HN1050110 (with 1 brush Ø 1.8 mm L100 cm) HN2523007 HN1053007 (with 1 brush Ø 3 mm L100 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L100 cm) HN2523018 HN1053018 (with 1 brush Ø 3 mm L100 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L230 cm) HN2525023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2530110 HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L200 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L200 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L200 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L200 cm) HN2535010 HN1065023 (with 2 brushes Ø 5 mm L200 cm) HN2535010 HN1065023 (with 2 brushes Ø 5 mm L200 cm)	HN4475018	HN1055018 (with 1 brush Ø 5 mm L180 cm)	V	Ø 11 & 5 mm,			
HN4495018 HN1065018 (with 2 brushes Ø 5 mm L180 cm) HN4495023 HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN2520110 HN1053010 (with 1 brush Ø 1.8 mm L100 cm) HN2523007 HN1053007 (with 1 brush Ø 3 mm L75 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L180 cm) HN2523018 HN1053018 (with 1 brush Ø 5 mm L300 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L300 cm) HN2525023 HN1055023 (with 1 brush Ø 5 mm L300 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2530110 HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L180 cm) HN2533018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2535010 HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN2535023 HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN4475023	HN1055023 (with 1 brush Ø 5 mm L230 cm)		ا ۲۰۲۰ دریا)			
HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN2520110  HN1050110 (with 1 brush Ø 1.8 mm L100 cm) HN2523007  HN1053007 (with 1 brush Ø 3 mm L75 cm) HN2523010  HN1053010 (with 1 brush Ø 3 mm L100 cm) HN2523018  HN1053018 (with 1 brush Ø 3 mm L100 cm) HN2525010  HN1055010 (with 1 brush Ø 5 mm L200 cm) HN2525023  HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030  HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2525010  HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2530110  HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533010  HN1063018 (with 2 brushes Ø 3 mm L100 cm) HN2533010  HN1065010 (with 2 brushes Ø 5 mm L230 cm) HN2533010  HN1065010 (with 2 brushes Ø 5 mm L200 cm) HN2533010  HN1065010 (with 2 brushes Ø 5 mm L200 cm) HN2535023  HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN4495018			į			
HN2523007 HN1053007 (with 1 brush Ø 3 mm L75 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L100 cm) HN2523018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L100 cm) HN2525023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2530110 HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN10650010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN10650010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN10650010 (with 2 brushes Ø 5 mm L100 cm)	HN4495023	· · · · · · · · · · · · · · · · · · ·		į			
HN2523007 HN1053007 (with 1 brush Ø 3 mm L75 cm) HN2523010 HN1053010 (with 1 brush Ø 3 mm L100 cm) HN2523018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L100 cm) HN2525023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2530110 HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065023 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN10650010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN10650010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN10650010 (with 2 brushes Ø 5 mm L100 cm)	HN2520110			į			
HN2523010 HN1053010 (with 1 brush Ø 3 mm L100 cm) HN2523018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L200 cm) HN2525023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2530110 HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533018 HN1063018 (with 2 brushes Ø 3 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L230 cm)	HN2523007			į			
HN2523018 HN1053018 (with 1 brush Ø 3 mm L180 cm) HN2525010 HN1055010 (with 1 brush Ø 5 mm L100 cm) HN2525023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2530110 HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2533010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2533018 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN2523010	,		į			
HN2525010 HN1055010 (with 1 brush Ø 5 mm L100 cm) HN2525023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2530110 HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L230 cm) HN2535023 HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN2523018	· · · · · · · · · · · · · · · · · · ·		į			
HN2525023 HN1055023 (with 1 brush Ø 5 mm L230 cm) HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2530110 HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535023 HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN2525010	,		į			
HN2525030 HN1055030 (with 1 brush Ø 5 mm L300 cm) HN2530110 HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535023 HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN2525023	`		į			-
HN2530110 HN1060110 (with 2 brushes Ø 1.8 mm L100 cm) HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535023 HN1065023 (with 2 brushes Ø 5 mm L230 cm)	HN2525030	,		į			25
HN2533010 HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN2533018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535023 HN1065023 (with 2 brushes Ø 5 mm L230 cm)				į			
HN2533018 HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535023 HN1065023 (with 2 brushes Ø 5 mm L230 cm)				į		1	
HN2535010 HN1065010 (with 2 brushes Ø 5 mm L100 cm) HN2535023 HN1065023 (with 2 brushes Ø 5 mm L230 cm)		· · ·		į		1	
HN2535023 HN1065023 (with 2 brushes Ø 5 mm L230 cm)		· · · · · · · · · · · · · · · · · · ·		į		1	
		•		į		1	
HWALLOUDY TOWNS AND THE TOWN TO N TO THE TOWN TOWN TO THE TOWN TO	IN2535025 IN2535030	HN1065030 (with 2 brushes Ø 5 mm L300 cm)		į		1	

The information provided on this data sheet is indicative and subject to change without notice. PRINCE MEDICAL SAS shall not be held responsible for any incidents resulting from inappropriate use, failure to comply with the rules and regulations in force, or failure to follow the instructions for use provided. Medical devices sold by PRINCE MEDICAL SAS should only be used by a duly qualified practitioner or authorised person.



AVAILABLE REFERENCE(S)



## CLEANBRUSH® KIT-4, KIT-5



64







The CLEANBRUSH® KIT-4, KIT-5 swab kits are intended for cleaning the working channels, valves and valve cages of flexible endoscopes.

They are suitable for use with the main gastroscopes, colonoscopes, duodenoscopes, enteroscopes, bronchoscopes, cystoscopes, ureteroscopes, nephroscopes, hysteroscopes and naso-laryngoscopes on the market.

#### KIT COMPONENTS (SEE THE TABLE FOR THE DETAILED COMPONENTS BY REFERENCE)

- · CLEANBRUSH® ENDO: cleaning brush for working channel
- · CLEANBRUSH® ENDO (AN1055002, AN1055023, AN1056523): cleaning brush for the aspiration channel
- CLEANBRUSH® ENDO (AN1050123, AN1050138): cleaning brush for air/water channel, and/or Water Jet and/or balloon inflation channel
- CLEANBRUSH® PISTON: cleaning brush for valves, valve cages
- · CLEANBRUSH® EXO-B: brush for external cleaning

#### **ABOUT THIS MEDICAL DEVICE**

1 <sup>st</sup> release date	1999	
Single use	Yes	
Class		
Sterile	No (ethylene oxide decontamination)	
Contains latex	No	
Lifetime	5 years	
Certification	CE	
Packaging	Box of 25 or 50 units depending on product reference	
Storage	In its original box in a cool and dry place	

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



PREGISTER OF TRANSPORT OF PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

# CLEANBRUSH® KIT-4, KIT-5

AVAILABLE REFERENCE(S) > KIT with 4 parts	REFERENCES	FOR CLEANING	OTHER KIT COMPONENTS				
Kit reference	For working channel	For aspiration channel	For valves	For air/water channel, water jet, balloon inflation channel	External cleaning brush	Packaging	
HN1903018 HN1983018 HN4535018	HN1053018 (with 1 brush Ø 3 mm L180 cm) HN1063018 (with 2 brushes Ø 3 mm L180 cm) HN1065018 (with 2 brushes Ø 5 mm L180 cm)	HN1055023 (with 1 brush Ø 5 mm L230 cm) HN1056523 (with 1 brush Ø 6.5 mm L230 cm)		HN1050123 (with 1 brush Ø 1.8 mm L230 cm)		50	
HN2543010 HN2553010 HN4505023 HN4515023 HN4505018 HN4515018 HN2543018 HN2545023 HN3335023	HN1053010 (with 1 brush Ø 3 mm L100 cm) HN1063010 (with 2 brushes Ø 3 mm L100 cm) HN1055023 (with 1 brush Ø 5 mm L230 cm) HN1065023 (with 2 brushes Ø 5 mm L230 cm) HN1055018 (with 1 brush Ø 5 mm L180 cm) HN1065018 (with 2 brushes Ø 5 mm L180 cm) HN1053018 (with 1 brush Ø 3 mm L180 cm) HN1055023 (with 1 brush Ø 5 mm L230 cm) HN1065023 (with 1 brush Ø 5 mm L230 cm) HN1055023 (with 1 brush Ø 5 mm L230 cm)	HN1055002 (with 1 brush Ø 5 mm L20 cm) HN1056523 (with 1 brush Ø 6.5 mm L230 cm)	HN1061110 (with 2 brushes Ø 11 & 5 mm, L15.5 cm)	HN1050123 (with 1 brush Ø 1.8 mm L230 cm) HN1050138 (with 1 brush Ø 1.8 mm L380 cm)	HN2580000 (U-shaped with soft hair, useful length 2 x 8 cm)	25	

AVAILABLE REFERENCE(S) > KIT with 5 parts	REFERENCE	ES FOR CLEANING BRUSHES			OTHER KIT COMPONENTS	
Kit reference	For working channel	For aspiration channel	For valves	For air/water channel, water jet, balloon inflation channel	External cleaning brush	Packaging
HN4545018 HN4555018	HN1055018 (with 1 brush Ø 5 mm L180 cm) HN1065018 (with 2 brushes Ø 5 mm L180 cm)	— HN1056523 (with 1 brush Ø 6.5 — mm 1230 cm)	HN1061110 (with 2 brushes Ø 11 & 5 mm, L15.5 cm)	HN1050123 (with 1 brush Ø 1.8 mm L230 cm)	HN2580000 (U-shaped with soft hair, useful length 2 x 8 cm)	25



Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.



## **CLEANBRUSH® TRACH**



66







The CLEanBRUSH® TRACH tracheal cannula brushes are intended for cleaning tracheostomy cannulas.

#### AVAILABLE REFERENCE(S)

Reference	Brush diameter (mm)	Sheath diameter (mm)	Length (cm)	Packaging	
AS2201002	10	3.3	23	25	
AS2201402	14	3.3	23	25	
AS2201802	18	3.3	23	20	





#### ABOUT THIS MEDICAL DEVICE

1 <sup>st</sup> release date	2007
Single use	Yes
Class	Is
Sterile	Yes
Sterilisation method	Ethylene oxide sterilisation
Contains latex	No
Lifetime	5 years
Certification	CE
Packaging	Box of 20 or 25 units in sterile wrapping depending on product reference
Storage	In its original box in a cool and dry place

PRINCE MEDICAL SAS ZA La Sente Du Moulin 64 rue Gutenberg - 60530 Ercuis - France www.prince-medical.com Tel: +33 (0)3 44 26 54 76 prince-medical@omerin.com



PREGISTER OF TRANSPORT OF PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.

## **NOTES**

PRINCE MEDICAL SAS
ZA La Sente Du Moulin
64 rue Gutenberg - 60530 Ercuis - France
www.prince-medical.com
Tel: +33 (0)3 44 2654 76

prince-medical@omerin.com



<sup>®</sup> Registered trademark of PRINCE MEDICAL SAS. Drawings and photos are not contractually binding. Reproduction is prohibited without the prior consent of PRINCE MEDICAL SAS.



PRINCE MEDICAL SAS ZA La Sente Du Moulin - 64 rue Gutenberg 60530 Ercuis - France

www.prince-medical.com

Tel: +33 **(0)3 44 26 54 76** prince-medical@omerin.com